

Product Search Data Sheet

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of RHSQ92A223K0DGH01A from the official website of Murata

http://www.murata.com/en-gb/products/productdetail?partno=RHSQ92A223K0DGH01A


RHSQ92A223K0DGH01A



Applications

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
	Automotive powertrain/safety equipment,
	Automotive infotainment/comfort
	equipment,Medical equipment [GHTF
	A/B/C] except for implant equipment
	Please refer to Our Website and
Specific	specifications, etc. for information about
Applications	the performance, functions, quality,
	management, and safety required for
	the above applications, and use
	Products after confirming the
	performance and reliability of the actual
	Product.

Appearance & Shape



Notices

HF(Halogen Free)、 Derating5



References

		Standard	
Packaging	Specifications	Packing	
		Quantity	
A	Ammo Pack	2000	

Mass (typ.)		
1 piece	0.1g	

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





RHSQ92A223K0DGH01A

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of RHSQ92A223K0DGH01A from the official website of Murata

http://www.murata.com/en-gb/products/productdetail?partno=RHSQ92A223K0DGH01A



L size or Outer diameter D 3.9mm max. Width 3.5mm max. T size 2.6mm max. Lead spacing F 2.5+0.4/-0.2mm Lead diameter d 0.5±0.05mm 22000pF ±10% Capacitance Rated voltage 100Vdc Temperature characteristics X9Q(MURATA) +15/-70% Capacitance change rate Temperature range of -55°C to 200°C temperature characteristics **Operating Temperature** -55°C to 200°C Range

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

2 of 3



Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.


Please download the latest datasheet of RHSQ92A223K0DGH01A from the official website of Murata


http://www.murata.com/en-gb/products/productdetail?partno=RHSQ92A223K0DGH01A

INNOVATOR IN ELECTRONICS

RHSQ92A223K0DGH01A







Capacitance - temperature characteristics

Impedance - frequency characteristics

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3