

Product Search Data Sheet

PKGS-25SXAP1-R

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of PKGS-25SXAP1-R from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=PKGS-25SXAP1-R

Discontinued RoHS REACH


Applications

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
	HDD
	Please refer to Our Website and
	specifications, etc. for information about
Specific Applications	the performance, functions, quality,
	management, and safety required for
	the above applications, and use
	Products after confirming the
	performance and reliability of the actual
	Product.

Packaging Information

Packaging	Specifications	Standard Packing Quantity
R	180mm Embossed Tape	3000

Appearance & Shape



1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





PKGS-25SXAP1-R

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of PKGS-25SXAP1-R from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=PKGS-25SXAP1-R

Specifications

Operating Temperature Range	-40°C to 85°C
Primary Axis Inclined Angle	25°
Sensitivity(typ.)	0.35pC/G
Capacitance(typ.)	740pF
Insulation Resistance(min.)	100ΜΩ
Non-linearity(typ.)	1%
Shock Resistance	3000G (0.3ms duration)
Sensitivity Type	Electric charge sensitivity type
Resonance Frequency	27kHz
Storage Temperature Range	-40°C to 85°C

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Product Search Data Sheet





Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current. Please download the latest datasheet of PKGS-25SXAP1-R from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=PKGS-25SXAP1-R

PKGS-25SXAP1-R







Freq. Characteristics

Primary axis inclined angle

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3