

Product Search Data Sheet

PKGS-25WXP1-R

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.


Please download the latest datasheet of PKGS-25WXP1-R from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=PKGS-25WXP1-R




Applications

| Unsuitable | Please be sure to read and comply with |
|--------------------------|--|
| Applications | these "Precautions for use." |
| | HDD |
| | Please refer to Our Website and |
| | specifications, etc. for information about |
| Specific Applications | the performance, functions, quality, |
| | management, and safety required for |
| | the above applications, and use |
| | Products after confirming the |
| | performance and reliability of the actual |
| | Product. |
| | |



| Packaging | | Standard Packing Quantity |
|-----------|---------------------|---------------------------------|
| R | 180mm Embossed Tape | 3000 |

Appearance & Shape



1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





PKGS-25WXP1-R

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of PKGS-25WXP1-R from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=PKGS-25WXP1-R

Specifications

| Operating Temperature Range | -40°C to 85°C |
|--------------------------------|----------------------------------|
| Primary Axis Inclined Angle | 25° |
| Sensitivity(typ.) | 0.168pC/G |
| Capacitance(typ.) | 550pF |
| Insulation Resistance(min.) | 100ΜΩ |
| Non-linearity(typ.) | 1% |
| Shock Resistance | 3000G (0.3ms duration) |
| Sensitivity Type | Electric charge sensitivity type |
| Resonance Frequency | 42kHz |
| Storage Temperature Range | -40°C to 85°C |

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

2 of 3

Product Search Data Sheet




PKGS-25WXP1-R


Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of PKGS-25WXP1-R from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=PKGS-25WXP1-R







Freq. Characteristics

Primary axis inclined angle

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3