

LLM3225-220J

Note: This datasheet may be out of date.

Please download the latest datasheet of LLM3225-220J from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=LLM3225-220J

Discontinued












Applications

| Unsuitable | Please be sure to read and comply with |
|--------------|--|
| Applications | these "Precautions for use." |
| | Consumer equipment,Medical |
| | equipment [GHTF A/B/C] except for |
| | implant & surgery & auto injector, |
| | Industrial equipment except for |
| | transportation & facility & energy |
| | equipment |
| Specific | Please refer to Our Website and |
| Applications | specifications, etc. for information about |
| | the performance, functions, quality, |
| | management, and safety required for |
| | the above applications, and use |
| | Products after confirming the |
| | performance and reliability of the actual |
| | Product. |
| Recommended | Canalimar aguinment |
| Applications | Consumer equipment |



Appearance & Shape







Notices

Rated current is specified when the decrease of the initial inductance value at 10%. Or rated current is specified when temperature of the inductor is raised 20°C by DC current. Whichever is smaller.



References

| Packaging | Specifications | Standard Packing Quantity |
|-----------|------------------|---------------------------------|
| - | 180Embossed Tape | 2000 |

| Mass (typ.) | | |
|-------------|-------|--|
| 1 piece | 0.04g | |

1 of 3

Attentior

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LLM3225-220J

Note: This datasheet may be out of date. Please download the latest datasheet of LLM3225-220J from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=LLM3225-220J



Specifications


| L size | 3.2±0.2mm |
|---|---------------|
| W size | 2.5±0.2mm |
| T size | 2.4mm |
| Size code inch (mm) | 1210 (3225) |
| Inductance | 22μH±5% |
| Inductance Test Frequency | 2.52MHz |
| Max. of DC resistance | 2.8Ω |
| Operating Temperature Range (Self-temperature rise is included) | -40°C to 85°C |
| Class of magnetic shield | Non-Shielded |
| Q(min.) | 30 |
| Q Test Frequency | 2.52MHz |
| Self resonance frequency (min.) | 16MHz |
| Brand | Murata |
| Rated Current | 140mA |
| Series | LLM3225 |

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LLM3225-220J


Note: This datasheet may be out of date.

Please download the latest datasheet of LLM3225-220J from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=LLM3225-220J



Characteristic Data



Q-Frequency Characteristics

3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

