

Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of PRF18BE471RB1RB from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=PRF18BE471RB1RB

PRF18BE471RB1RB










Applications

Please be sure to read and comply with		
these "Precautions for use."		
Consumer equipment,Industrial		
Equipment,Medical equipment [GHTF		
A/B]		
Please refer to Our Website and		
specifications, etc. for information about		
the performance, functions, quality,		
management, and safety required for		
the above applications, and use		
Products after confirming the		
performance and reliability of the actual		
Product.		



Appearance & Shape





Part Number		Dimen	sions (ı	mm)	
Part Nulliber	L	W	Т	е	g
PRF03_RL	0.6±0.05	0.3±0.05	0.3±0.05	0.1 to 0.2	-
PRF15_RC	1.0±0.05	0.5±0.05	0.5±0.05	0.1 to 0.4	0.3 min.
PRF18_RB	1.6±0.15	0.8±0.15	0.8±0.15	0.1 to 0.6	-
PRF21_RA	2.0±0.2	1.25±0.2	0.9±0.2	0.2 min.	0.5 min.



Packaging Information

Packaging		Standard Packing Quantity
RB	180mm Paper Tape	4000



Features

- 1. SMD type is helpful for miniaturizing circuits because of its small size and light weight.
- 2. Excellent thermal response due to small size
- 3. Solid-state construction provides excellent resistance to mechanical vibration and impact resistance.
- 4. Contactless operation provides noiseless operation.
- 5. UL/cULcertified product. (UL1434, File No. E137188)

1 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





PRF18BE471RB1RB

Note: This datasheet may be out of date.

 $Please\ download\ the\ latest\ data sheet\ of\ PRF18BE471RB1RB\ from\ the\ official\ website\ of\ Murata$ Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=PRF18BE471RB1RB



Specifications

Max. Voltage	32V
Sensing Temperature	85°C
Sensing Temperature Tolerance	±3°C
Measure Condition of Sensing Temperature	at 4.7k ohm
Resistance (25°C)	470Ω
Resistance Value Tolerance (at 25°C)	±50%
Operating Temperature Range	-20°C to 100°C
Size Code (in mm)	1.6x0.8mm
Size Code (in inch)	0.6x0.3inch
Shape	SMD
Mass	0.004g
MSL	1

2 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Product Search Data Sheet


Note: This datasheet may be out of date. Please download the latest datasheet of PRF18BE471RB1RB from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en-sg/products/productdetail?partno=PRF18BE471RB1RB


PRF18BE471RB1RB



Product Data



Resistance-Temperature Characteristics



Resistance-Temperature Characteristics Range (Reference)

3 of 3

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

