

 $\label{eq:please} Please \ download \ the \ latest \ data sheet \ of \ LQW2BAN8N2J00\# \ from \ the \ of ficial \ website \ of \ Murata$

http://www.murata.com/en-us/products/productdetail?partno=LQW2BAN8N2J00%23

"#"at the end indicates the package specification code.

LQW2BAN8N2J00#

0805(inch)/2015(mm) size, horizontal wound inductor.




< List of part numbers with package codes > LQW2BAN8N2J00B LQW2BAN8N2J00K LQW2BAN8N2J00L



Applications

Unsuitable	Please be sure to read and comply with	
Applications	these "Precautions for use."	
	Consumer equipment,Medical	
	equipment [GHTF A/B/C] except for	
	implant & surgery & auto injector,	
	Industrial equipment except for	
	transportation & facility & energy	
	equipment	
Specific	Please refer to Our Website and	
Applications	specifications, etc. for information about	
	the performance, functions, quality,	
	management, and safety required for	
	the above applications, and use	
	Products after confirming the	
	performance and reliability of the actual	
	Product.	
Recommended	Canauman anuiamant	
Applications	Consumer equipment	



Please consider 'Notice (Rating).' When rated current is applied to the products, self-temperature rise shall be limited to 40°C max.

1 of 5

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





 $\label{eq:please} Please \ download \ the \ latest \ data sheet \ of \ LQW2BAN8N2J00\# \ from \ the \ of ficial \ website \ of \ Murata$

http://www.murata.com/en-us/products/productdetail?partno=LQW2BAN8N2J00%23

LQW2BAN8N2J00#

"#"at the end indicates the package specification code.



References

		Standard
Packaging	Specifications	Packing
		Quantity
В	Bulk(Bag)	500
К	330Embossed Tape	8000
L	180Embossed Tape	2000

Mass (typ.)	
1 piece	0.014g

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

2 of 5



Please download the latest datasheet of LQW2BAN8N2J00# from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=LQW2BAN8N2J00%23

LQW2BAN8N2J00#

"#"at the end indicates the package specification code.



Specifications

L size	2.09±0.2mm
W size	1.53±0.2mm
T size	1.42±0.1mm
Size code inch (mm)	0805 (2015)
Inductance	8.2nH±5%
Inductance Test Frequency	250MHz
Rated current (Itemp) (Based on Temperature rise)	1500mA
Max. of DC resistance	0.09Ω
Operating Temperature Range (Self-temperature rise is included)	-55℃ to 125℃
Class of magnetic shield	Non-Shielded
Q(min.)	80
Q Test Frequency	1000MHz
Self resonance frequency (min.)	3200MHz
Brand	Murata
Series	LQW2BAN_00

3 of 5

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.

Product Search Data Sheet



Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of LQW2BAN8N2J00# from the official website of Murata

http://www.murata.com/en-us/products/productdetail?partno=LQW2BAN8N2J00%23


"#"at the end indicates the package specification code.



LQW2BAN8N2J00#

In operating temperatures exceeding +85°C, derating of current is necessary for this series. Please apply the derating curve shown in the chart according to the operating temperature.

Derating of Rated Current



4 of 5

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.







Please download the latest datasheet of LQW2BAN8N2J00# from the official website of Murata


http://www.murata.com/en-us/products/productdetail?partno=LQW2BAN8N2J00%23


"#"at the end indicates the package specification code.


Characteristic Data

LQW2BAN8N2J00#

The charts below may show another part number which shares its characteristics.







5 of 5

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

