


# SV02C103BJZB1B01

已经停产

RoHS

REACH

## 外观&形状



## 特点

1. High Durability :1000k cycles
2. Operating Temperature:-20 deg.C to +85 deg.C
3. SV02C is fixed by a nut on sheet metal, not by soldering.
4. Easy connection by a shaft structure, and by a connector for out-put voltage.
5. RoHS Compliant.
6. Special out-put curve is available.

### ■Applications

1. Switch for White goods
2. Pachinko steering wheel
3. Robot
4. Switch for Industrial equipment
5. Motor drive unit

## 包装信息

| 包装  | 规格  | 标准包装数量 |
|-----|-----|--------|
| B01 | 散装袋 | 750    |

注意

1. 本目录是从株式会社村田制作所网站中下载的。规格若有变更，或若其中产品停产，请在订购时确认，恕不另行通知。
2. 本目录因没有足够的空间说明详细规格，仅载明标准规格。因此，在订购产品之前，谨请核准其规格或者办理产品规格表。

# SV02C103BJZB1B01




规格

|             |                                                 |
|-------------|-------------------------------------------------|
| 工作温度范围      | -20°C to 85°C                                   |
| 形状          | 连接器                                             |
| 总电阻值        | 10kΩ                                            |
| 总电阻值公差      | ±30%                                            |
| 线性          | ±3%                                             |
| 有效旋转角度(标准值) | 280°                                            |
| 电阻温度系数      | -                                               |
| 旋转寿命(max.)  | 1M cycles                                       |
| 力矩(max.)    | 4mN·m (Ref.:40gf.cm)                            |
| 额定电压        | 5Vdc                                            |
| 耐电压         | 250Vac, 1 min., Leakage current 50 micro A max. |
| 绝缘电阻(min.)  | 100MΩ                                           |
| 绝缘电阻测量条件    | 250Vdc                                          |
| 质量          | 5g                                              |

**注意**  
1. 本目录是从株式会社村田制作所网站中下载的。规格若有变更，或若其中产品停产，请在订购时确认，恕不另行通知。  
2. 本目录因没有足够的空间说明详细规格，仅载明标准规格。因此，在订购产品之前， 谨请核准其规格或者办理产品规格表。

# SV02C103BJZB1B01

## 产品数据



### 结构

在3 / 3页

#### 注意

1. 本目录是从株式会社村田制作所网站中下载的。规格若有变更，或若其中产品停产，请在订购时确认，恕不另行通知。
2. 本目录因没有足够的空间说明详细规格，仅载明标准规格。因此，在订购产品之前，请核准其规格或者办理产品规格表。