

Note: This datasheet may be out of date. Please download the latest datasheet of LQW2UAS39NF00# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW2UAS39NF00%23

"#"at the end indicates the package specification code.

LQW2UAS39NF00#

Size Code 2520 (1008) in mm (in inch), Wound Type




< List of part numbers with package codes > LQW2UAS39NF00B LQW2UAS39NF00L

Applications

| Unsuitable | Please be sure to read and comply with | |
|--------------|--|--|
| Applications | these "Precautions for use." | |
| | Consumer equipment,Medical | |
| | equipment [GHTF A/B/C] except for | |
| | implant & surgery & auto injector, | |
| | Industrial equipment except for | |
| | transportation & facility & energy | |
| | equipment | |
| Specific | Please refer to Our Website and | |
| Applications | specifications, etc. for information about | |
| | the performance, functions, quality, | |
| | management, and safety required for | |
| | the above applications, and use | |
| | Products after confirming the | |
| | performance and reliability of the actual | |
| | Product. | |
| Recommended | Canauman anuinmant | |
| Applications | Consumer equipment | |







References

| | Packaging | Specifications | Standard |
|--|-----------|------------------|----------|
| | | | Packing |
| | | | Quantity |
| | В | Bulk(Bag) | 500 |
| | L | 180Embossed Tape | 2000 |

| /lass (typ.) | |
|--------------|--------|
| 1 piece | 0.039g |

1 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





LQW2UAS39NF00#

Note: This datasheet may be out of date. Please download the latest datasheet of LQW2UAS39NF00# from the official website of Murata Manufacturing Co., Ltd.

http://www.murata.com/en/products/productdetail?partno=LQW2UAS39NF00%23

"#"at the end indicates the package specification code.



Specifications

| L size | 2.62±0.3mm |
|--|--------------|
| W size | 2.45±0.2mm |
| T size | 1.83±0.2mm |
| Size code inch (mm) | 1008 (2520) |
| Inductance | 39nH±1% |
| Inductance Test Frequency | 50MHz |
| Rated current (Itemp) (Based on Temperature rise) | 1000mA |
| Max. of DC resistance | 0.15Ω |
| Operating Temperature Range(Self-temperature rise is not included) | -55℃ to 125℃ |
| Class of magnetic shield | Non-Shielded |
| Q(min.) | 60 |
| Q Test Frequency | 350MHz |
| Self resonance frequency (min.) | 1500MHz |
| Brand | Murata |
| Series | LQW2UAS_00 |

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



Product Search Data Sheet

Note: This datasheet may be out of date. Please download the latest datasheet of LQW2UAS39NF00# from the official website of Murata Manufacturing Co., Ltd.


http://www.murata.com/en/products/productdetail?partno=LQW2UAS39NF00%23


"#"at the end indicates the package specification code.


Characteristic Data

LQW2UAS39NF00#

The charts below may show another part number which shares its characteristics.







3 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering

