

Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of LQW2BHNR10G03# from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=LQW2BHNR10G03%23

"#"at the end indicates the package specification code.

LQW2BHNR10G03#

Size Code 2015 (0805) in mm (in inch), Wound Type




< List of part numbers with package codes > LQW2BHNR10G03K LQW2BHNR10G03L

Applications

Unsuitable	Please be sure to read and comply with
Applications	these "Precautions for use."
	Consumer equipment,Medical
	equipment [GHTF A/B/C] except for
	implant & surgery & auto injector,
	Industrial equipment except for
	transportation & facility & energy
	equipment
Specific	Please refer to Our Website and
Applications	specifications, etc. for information about
	the performance, functions, quality,
	management, and safety required for
	the above applications, and use
	Products after confirming the
	performance and reliability of the actual
	Product.
Recommended	
Applications	Consumer equipment







0.5 min. 0.5 min 0.5 min.



(in mm)



L

		Standard
Packaging	Specifications	Packing
		Quantity
К	330Embossed Tape	7500

180Embossed Tape

Mass (typ.)	
1 piece	0.009g

2000

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





ta Sheet information provided may not be the most current. Please download the latest datasheet of LQW2BHNR10G03# from the official website of Murata

http://www.murata.com/en/products/productdetail?partno=LQW2BHNR10G03%23

"#"at the end indicates the package specification code.

Note: If you have not downloaded this document from our official website, please note that the



Specifications

LQW2BHNR10G03#

L size	2.0±0.2mm
W size	1.5±0.2mm
T size	1.7+0.08/-0.1mm
Size code inch (mm)	0805 (2015)
Inductance	100nH±2%
Inductance Test Frequency	100MHz
Rated current (Itemp) (Based on Temperature rise)	270mA
Max. of DC resistance	0.55Ω
Operating Temperature Range(Self-temperature rise is not included)	-40℃ to 85℃
Class of magnetic shield	Non-Shielded
Q(min.)	35
Q Test Frequency	150MHz
Self resonance frequency (min.)	900MHz
Brand	Murata
Series	LQW2BHN_03

2 of 3

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.





Note: If you have not downloaded this document from our official website, please note that the information provided may not be the most current.

Please download the latest datasheet of LQW2BHNR10G03# from the official website of Murata


http://www.murata.com/en/products/productdetail?partno=LQW2BHNR10G03%23

"#"at the end indicates the package specification code.




Characteristic Data

LQW2BHNR10G03#



Inductance - Frequency Characteristics



Q-Frequency Characteristics

Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued

without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering.



3 of 3